## Model Specification for 116i Sports hatch 3-dr

<u>Engine</u>	
Cylinders/Valves	4/4
Capacity (cc)	1598
Stroke/Bore (mm)	85.8/77.0
Rated Power/Rated	100/4400
Engine Speed (kW/rpm)	
Max Torque/Engine	220/1350
Speed (Nm/rpm)	
Combined System	
Torque (Nm)	
Compression Ratio (:1)	10.5

N13B16U0

Engine type

Dimensions / weights	
Luggage Compartment	360-1200
capacity (I)	
Ground Clearance (mm)	140
Wheelbase (mm)	2690
Vehicle Length (mm)	4324
Vehicle Width (mm)	1765
Vehicle Height (mm)	1421
Track, Front (mm)	1535
Track, Rear (mm)	1569
Rear overhang	869
Front disk brakes	V
V=ventilated	
Rear disk brakes	D
V=ventilated	
Turning Circle (m)	10.9

<u>Weight</u>	
Axle load ratio (unloaded	49.5 (M)
DIN) %	48.4 (A)
Unladen (Din Unladen) (kg)	1295 (M)
	1315 (A)
Gross Vehicle Mass (GVM)	1860 (M)
(kg)	1880 (A)
Permitted Roof Load (kg)	75
Permitted Trailer Load	1200
(Braked) (kg)	
Permitted Trailer Load	650
(Unbraked) (kg)	
Permitted Towbar	75
Download (kg)	
Permitted Axle Load front/	865/1090
rear (kg)	
Permitted Load (kg)	565
Gross Combination Mass	3135 (M)
GCM (kg)	3155 (A)
Tare (kg)	1260 (M)
	1280 (A)

205/55 R16

Light Alloy

7Jx16

Wheels
Tyre Dimensions

Material

Wheel Dimensions

	1018	
765	2690	869
	4324	

Performance	
Top Speed (km/h)	210
Acceleration 0-100km/h (s)	8.5 (M)
	8.7 (A)
Standing Start 0-1000m (s)	29.8 (M)
	30.1 (A)
Drag Coefficient (c)	0.31
Acceleration 80-120km/h	8.6 (M)
with manual transmission in	- (A)
5th gear	

Fuel Consumption	
In Town (I/100km)	7.0 (M)
	7.2 (A)
Out of Town (I/100km)	4.5 (M)
	4.6 (A)
Combined (I/100km)	5.4 (M)
	5.6 (A)
CO2 Emissions (g/km)	125 (M)
	129 (A)
Tank Capacity (I)	52

Regulation 101/UN Regulation 83 and SANS 20101 standards), which sets out the procedures that are used to measure the CO2 emissions and fuel consumption. The claimed figures are established using specific tests under standardised, carefully controlled conditions and may differ from consumption achieved under real world conditions with the influences of altitude, road surface, geographic conditions, vehicle
differ from consumption achieved under real world conditions with the influences of altitude, road surface, geographic conditions, vehicle
, , , , , , , , , , , , , , , , , , , ,
options, temperature, humidity, tyres size and driving behaviour amongst others.

EU Unladen mass refers to a vehicle with standard equipment, with 90% fuel tank fill, including a driver (68 kg) and luggage (7 kg). Optional extras and accessories will generally increase this figure.

Please contact your preferred authorized BMW dealer or BMW South Africa (Pty) Ltd. for information on vehicles that are available for sale, and the various specifications and options of vehicles that are available.

Trailer loads may not exceed the load stated for un-braked or for braked trailer and the max tow bar load may not exceed the value stated.

Vehicle heights are measured without the aerial. The heights are slightly higher if measured over the aerial. Measurements are stated for vehicles with standard fittings and may vary when optional equipment is fitted.

The technical data stated refers to the current version of the model selected. Due to certain legal regulations in different countries, deviations in the technical data described here can occur.





