Model Specification for 325i Sedan

N52B25O1

Engine	
Cylinders/Valves	6/4
Capacity (cc)	2497
Stroke/Bore (mm)	78.8/82.0
Rated Power/Rated	160/6500
Engine Speed (kW/rpm)	
Max Torque/Engine	250/2750-4250
Speed (Nm/rpm)	
Combined System	
Torque (Nm)	
Compression Ratio (:1)	11

Engine type

capacity (I) 144 Ground Clearance (mm) 2760 Vehicle Length (mm) 4531 Vehicle Width (mm) 1817 Vehicle Height (mm) 1421	Dimensions / weights	400
Ground Clearance (mm) 144 Wheelbase (mm) 2760 Vehicle Length (mm) 4531 Vehicle Width (mm) 1817 Vehicle Height (mm) 1421	Luggage Compartment	460
Wheelbase (mm) 2760 Vehicle Length (mm) 4531 Vehicle Width (mm) 1817 Vehicle Height (mm) 1421	_ 1 _ 3 \ 7	
Vehicle Length (mm) 4531 Vehicle Width (mm) 1817 Vehicle Height (mm) 1421	Ground Clearance (mm)	144
Vehicle Width (mm) 1817 Vehicle Height (mm) 1421	Wheelbase (mm)	2760
Vehicle Height (mm) 1421	Vehicle Length (mm)	4531
1 1 2 1	Vehicle Width (mm)	1817
Track Front (mm) 1506	Vehicle Height (mm)	1421
mack, mont (min)	Track, Front (mm)	1506
Track, Rear (mm) 1535	Track, Rear (mm)	1535
Rear overhang 1014	Rear overhang	1014
Front disk brakes V 312 / 24	Front disk brakes	V 312 / 24
V=ventilated	V=ventilated	
Rear disk brakes V 300 / 20	Rear disk brakes	V 300 / 20
V=ventilated	V=ventilated	
Turning Circle (m) 11	Turning Circle (m)	11


147 * 1 .	
Weight	40.4.4.4
Axle load ratio (unloaded	49.4 (M)
DIN) %	48.8 (A)
Unladen (Din Unladen) (kg)	1430/1505 (M)
	1460/1535 (A)
Gross Vehicle Mass (GVM)	1950 (M)
(kg)	1980 (A)
Permitted Roof Load (kg)	75
Permitted Trailer Load	1600/1700
(Braked) (kg)	
Permitted Trailer Load	745
(Unbraked) (kg)	
Permitted Towbar	75
Download (kg)	
Permitted Axle Load front/	935/1080
rear (kg)	
Permitted Load (kg)	520
Gross Combination Mass	3625 (M)
GCM (kg)	3655 (A)
Tare (kg)	1385 (M)
. 3.	1415 (A)
-	· · ·


Wheels
Tyre Dimensions
Wheel Dimensions

Material

1415 (A)	
5/50 R16 7J x 16 ght Alloy	A DE

ولمث	





<u>Performance</u>	
Top Speed (km/h)	245 (M)
	242 (A)
Acceleration 0-100km/h (s)	7 (M)
	7.7 (A)
Standing Start 0-1000m (s)	27.4 (M)
	28.1 (A)
Drag Coefficient (c)	0.29
Acceleration 80-120km/h	- (M)
with manual transmission in	
5th gear	

Fuel Consumption	
In Town (I/100km)	11.6 (M)
	12.3 (A)
Out of Town (I/100km)	6.2 (M)
	6.5 (A)
Combined (I/100km)	8.2 (M)
	8.6 (A)
CO2 Emissions (g/km)	191 (M)
	200 (A)
Tank Capacity (I)	63

EU Unladen mass refers to a vehicle with standard equipment, with 90% fuel tank fill, including a driver (68 kg) and luggage (7 kg). Optional extras and accessories will generally increase this figure.

Please contact your preferred authorized BMW dealer or BMW South Africa (Pty) Ltd. for information on vehicles that are available for sale, and the various specifications and options of vehicles that are available.

Trailer loads may not exceed the load stated for un-braked or for braked trailer and the max tow bar load may not exceed the value stated.

Vehicle heights are measured without the aerial. The heights are slightly higher if measured over the aerial. Measurements are stated for vehicles with standard fittings and may vary when optional equipment is fitted.

The technical data stated refers to the current version of the model selected. Due to certain legal regulations in different countries, deviations in the technical data described here can occur.



^{*}The published fuel consumption and CO2 emission figures are established according to legislated technical specifications (UNECE Regulation 101/UN Regulation 83 and SANS 20101 standards), which sets out the procedures that are used to measure the CO2 emissions and fuel consumption. The claimed figures are established using specific tests under standardised, carefully controlled conditions and may differ from consumption achieved under real world conditions with the influences of altitude, road surface, geographic conditions, vehicle options, temperature, humidity, tyres size and driving behaviour amongst others.